

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
PATENT EXAMINING OPERATION

First Named Inventor: Muller, Thorsten

Serial No: 10/556,017

Group Art Unit: 1797

Filed: May 10, 2004

Examiner: Bobby Ramdhanie

Att. Docket No.: B1180/20045

Confirmation No.: 4395

PARTICLE INJECTOR FOR A CELL SORTER

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR APPLICANT'S MISTAKE (37 C.F.R. §1.323)**

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

It is respectfully requested that a Certificate of Correction be issued in order to correct the errors specified in the attached Certificate of Correction Form PTO/SB/44.

Figures 1-3, 5 and 6 are incorrect. The figures were incorrectly reproduced from the PCT application when the national stage application was filed. In all of these figures the reference numbers and the connecting lines between the reference numbers and the drawing elements are misaligned with respect to the drawing elements. This error is obvious in that many of the reference lines do not connect to any element in the drawings.

In addition, the valve elements in Figure 1 (elements 23.1, 23.2 and 23.3) and Figure 6 (elements 29.1, 29.2 and 29.2) are misaligned with respect to the rest of the drawing.

This application is based on PCT/EP2004/004984. The correct drawings from PCT Pub. No. WO2004/099760 are attached in the accompanying Certificate of Correction Form. No new matter is added.

Please send the certificate to the address listed below.

Charge Deposit Account 03-0075 the sum of \$100.00 under 37 CFR 1.20(a) and any


additional fees and deficiencies associated with this Certificate of Correction. A duplicate of this request is attached.

Respectfully submitted,

CAESAR, RIVISE, BERNSTEIN,
COHEN & POKOTNIKOW, LTD.

May 4, 2009

By



Nicholas M. Tinari, Jr.

Registration No. 58,200

Customer No. 03000

(215) 567-2010

Attorneys for Applicants

Please charge or credit our
Account No. 03-0075 as necessary
to effect entry and/or ensure
consideration of this submission.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 6

PATENT NO. : 7,510,685
APPLICATION NO.: 10/556,017
ISSUE DATE : Mar. 31, 2009
INVENTOR(S) : Torsten Muller, Stefan Hummel, Annete Pfennig

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Please replace Figures 1, 2, 3, 5 and 6 with the replacement Figures on the attached sheets.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Caesar Rivise Bernsetein Cohen & Pokotilow, Ltd.
1635 Market Street, 11th Floor
Philadelphia, PA 19103

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.